



YEUCHYUAN



NEUVE
BATTERY
GLUE GUN

EMPOWER THE FREE MOVEMENT OF GLUE

GO111



Battery Glue Gun

Glue Size: Ø11mm (Ø0.43")

Max. Temp: 180°C / 356°F

Power: 25W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Run Time: 120 min

Charge Time: 90% ≥ 2 hrs *Fast Charging*

Input: 5 V = 3 A

Charging port: USB-C

Safety Approval: CE Patent

Built-in Battery:

Model Flat-top 21700

Capacity 5000mAh

Packaging:

Contents: 1 Glue Gun,
1 USB-C to USB-A cable,
1 Manual

Incompatible with iPhone accessories.



Precision
Nozzle



LED
Illumination



Fast
Charging



Li-Ion Battery
& Battery Power
Indicator



Glue Inlet
Vibe Light

GOT07



Battery Glue Gun

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 170°C / 338°F

Power: 15W

Voltage: 3.7V DC

Heat Up Time: 3 min

Charging port: USB-C

Safety Approval:  Patent

BASIC

Run Time: 90 min

Charge Time: 90% ≥ 4.5 hrs

Input: 5V=1 A

Supplied Battery: 2600mAh

PLUS

Run Time: 90 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5V=2 A

Supplied Battery: 2600mAh

PREMIUM

Run Time: 105 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5V=3 A

Supplied Battery: 3200mAh



Precision
Nozzle



LED
Illumination



Anti-slip
Trigger



Status
Indicator



Li-Ion
Battery

Packaging: Double blister

Contents: 1 Glue Gun,
1 USB-C to USB-A cable,
1 Manual

Incompatible with iPhone accessories.

GOB07



Battery Glue Gun

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 160°C / 320°F

Power: 10W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Charging port: USB-C

Safety Approval: CE Patent

BASIC

Run Time: 90 min

Charge Time: 90% ≥ 3.5 hrs

Input: 5 V = 1 A

Supplied Battery: 2000mAh

PLUS

Run Time: 120 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5 V = 2 A

Supplied Battery: 2600mAh

PREMIUM

Run Time: 150 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5 V = 3 A

Supplied Battery: 3200mAh



Precision
Nozzle



LED
Illumination



Anti-slip
Trigger



Status
Indicator



Li-Ion
Battery

Packaging: Double blister

Contents: 1 Glue Gun,

1 USB-C to USB-A cable,

1 Manual

Incompatible with iPhone accessories.

GOL07



Battery Glue Gun

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 130°C / 266°F

Power: 0W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Charging port: USB-C

Safety Approval:  Patent

BASIC

Run Time: 90 min

Charge Time: 90% ≥ 3.5 hrs

Input: 5 V=1 A

Supplied Battery: 2000mAh

PLUS

Run Time: 120 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5 V=2 A

Supplied Battery: 2600mAh

PREMIUM

Run Time: 150 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5 V=3 A

Supplied Battery: 3200mAh



Cool
Melt



Precision
Nozzle



LED
Illumination



Anti-slip
Trigger



Status
Indicator



Li-Ion
Battery

Packaging: Double blister

Contents: 1 Glue Gun,
1 USB-C to USB-A cable,
1 Manual

Incompatible with iPhone accessories.

Battery Glue Pen

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 160°C / 320°F

Power: 15W

Voltage: 3.7V DC

Heat Up Time: 3 min

Run Time: 90 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5V=2A

Charging port: USB-C

Safety Approval: CE Patent

Built-in Battery:

Model Flat-top 18650

Capacity 2600mAh

Packaging: Color box

Contents: 1 Glue Pen,

1 USB-C ot USB-A cable,

1 Manual

Incompatible with iPhone accessories.



Precision
Nozzle



LED
Illumination



Fast
Charging



Auto
Flow



Li-Ion Battery
& Battery Power
Indicator

GOQ07





GOP07

Battery Glue Pen

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 170°C / 338°F

Power: 15W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Run Time: 90 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5 V=3A

Charging port: USB-C

Safety Approval: CE Patent

Built-in Battery:

Model Flat-top 18650

Capacity 3200mAh

Packaging: Double blister

Contents: 1 Glue Pen,
1 USB-C to USB-A cable, 1 Manual

Incompatible with iPhone accessories.



Precision
Nozzle



LED
Illumination



Fast
Charging



Comfort
Grip



Status
Indicator




Li-Ion
Battery

GOA07



Battery Glue Gun

Glue Size: $\varnothing 7\text{mm}$ ($\varnothing 0.28''$)
Max. Temp: 160°C / 320°F
Power: 10W
Voltage: 3.7 V DC
Heat Up Time: 3 min
Charging port: USB-C
Safety Approval:  Patent

BASIC

Run Time: 90 min
Charge Time: 90% \geq 3.5 hrs
Input: 5 V = 1 A
Supplied Battery: 2000mAh

PLUS

Run Time: 120 min
Charge Time: 90% \geq 2.5 hrs *Fast Charging*
Input: 5 V = 2 A
Supplied Battery: 2600mAh

PREMIUM

Run Time: 150 min
Charge Time: 90% \geq 1.5 hrs *Fast Charging*
Input: 5 V = 3 A
Supplied Battery: 3200mAh



Precision
Nozzle



LED
Illumination



Anti-slip
Trigger



Status
Indicator



Li-Ion
Battery

Packaging:

Double blister

Contents: 1 Glue Gun,
1 USB-C to USB-A cable,
1 Manual

Incompatible with iPhone accessories.

Battery Glue Gun

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 160°C / 320°F

Power: 10W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Charging port: USB-C

Safety Approval:  Patent



Precision
Nozzle



LED
Illumination



Fast
Charging



Anti-slip
Trigger



Li-Ion Battery
& Battery Power
Indicator



Glue Inlet
Vibe Light

PLUS

Run Time: 120 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5 V = 2 A

Supplied Battery: 2600mAh

PREMIUM

Run Time: 150 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5 V = 3 A

Supplied Battery: 3200mAh

Packaging:

Double blister

Contents: 1 Glue Gun,
1 USB-C to USB-A cable,
1 Manual

Incompatible with iPhone accessories.



GOS07

GO107



Battery Glue Gun

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 170°C / 338°F

Power: 15W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Charging port: USB-C

Safety Approval:  Patent

BASIC

Run Time: 90 min

Charge Time: 90% ≥ 4.5 hrs

Input: 5 V = 1 A

Supplied Battery: 2600mAh

PLUS

Run Time: 90 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5 V = 2 A

Supplied Battery: 2600mAh

PREMIUM

Run Time: 105 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5 V = 3 A

Supplied Battery: 3200mAh



Precision
Nozzle



LED
Illumination



Replaceable
Battery



Anti-slip
Trigger



Status
Indicator



Li-Ion
Battery

Compatible Battery:

Model Flat-top 18650 & 3C-rate,
Same Capacity of the Supplied Battery

Packaging:

Double blister

Contents: 1 Glue Gun, 1 Screwdriver
1 USB-C to USB-A cable, 1 Manual

Incompatible with iPhone accessories.

Battery Glue Gun

Glue Size: Ø7mm (Ø0.28")

Max. Temp: 170°C / 338°F

Power: 15W

Voltage: 3.7 V DC

Heat Up Time: 3 min

Charging port: USB-C

Safety Approval: CE Patent

BASIC

Run Time: 90 min

Charge Time: 90% ≥ 4.5 hrs

Input: 5 V = 1 A

Supplied Battery: 2600mAh

PLUS

Run Time: 90 min

Charge Time: 90% ≥ 2.5 hrs *Fast Charging*

Input: 5 V = 2 A

Supplied Battery: 2600mAh

PREMIUM

Run Time: 105 min

Charge Time: 90% ≥ 1.5 hrs *Fast Charging*

Input: 5 V = 3 A

Supplied Battery: 3200mAh

Incompatible with iPhone accessories.



Precision
Nozzle



LED
Illumination



Replaceable
Battery



Anti-slip
Trigger



Status
Indicator



Li-Ion
Battery

Compatible Battery:

Model Flat-top 18650 & 3C-rate,
Same Capacity of the Supplied Battery

Packaging:

Double blister

Contents: 1 Glue Gun,

1 Screwdriver

1 USB-C to USB-A cable,

1 Manual



GO207



YEUCHYUAN

BATTERY GLUE GUN

Precision Bonding, Powered by Lithium.

GOA07 PATENTED

GO107 PATENTED

GOQ07 PATENTED

GO207 PATENTED

GOS07 PATENTED

GOP07 PATENTED

GOT07 PATENTED

GO111 PATENTED

GOL07 PATENTED

GOB07 PATENTED





Contact

1F., No. 189-9, Liuzilin, Liuxiang Vil.,
Shuishang Township, Chiayi County 60853,
Taiwan (R.O.C.)

Phone: +886 5-268-7550

Fax: +886 5-268-1110

yc@yeuchyuan.com www.yeuchyuan.com.tw

